

TIMELESS RADIATORS



THE VICTORIAN 3

SIZE CHART



SECTIONS ADDED	TOTAL LENGTH	RA 3450	
		BTUs @ ΔT60	WATTS @ ΔT60
1		315	92
2		630	184
3		945	276
4	285mm	1260	368
5	345mm	1575	460
6	405mm	1890	552
7	470mm	2205	644
8	530mm	2520	736
9	590mm	2835	828
10	650mm	3150	923
11	715mm	3465	1015
12	775mm	3780	1108
13	840mm	4095	1199
14	900mm	4410	1291
15	965mm	4725	1383
16	1025mm	5040	1477
17	1090mm	5355	1569
18	1150mm	5670	1661
19	1215mm	5985	1754
20	1275mm	6300	1846

TIMELESS RADIATORS



SECTIONS ADDED	TOTAL LENGTH	RA 3650	
		BTUs @ ΔT60	WATTS @ ΔT60
1		454	133
2		908	266
3		1362	399
4	285mm	1816	532
5	345mm	2270	665
6	405mm	2724	798
7	470mm	3178	931
8	530mm	3632	1064
9	590mm	4086	1198
10	650mm	4540	1331
11	715mm	4994	1464
12	775mm	5448	1597
13	840mm	5902	1730
14	900mm	6356	1863
15	965mm	6810	1996
16	1025mm	7264	2129
17	1090mm	7718	2262
18	1150mm	8172	2395
19	1215mm	8626	2528
20	1275mm	9080	2661

TIMELESS RADIATORS



RA 3760

SECTIONS ADDED	TOTAL LENGTH	BTUs @ $\Delta T60$	WATTS @ $\Delta T60$
1		512	150
2		1024	300
3		1536	450
4	285mm	2048	600
5	345mm	2560	750
6	405mm	3072	900
7	470mm	3584	1050
8	530mm	4096	1200
9	590mm	4608	1351
10	650mm	5120	1501
11	715mm	5632	1651
12	775mm	6144	1801
13	840mm	6656	1951
14	900mm	7168	2101
15	965mm	7680	2251
16	1025mm	8192	2401
17	1090mm	8704	2551
18	1150mm	9216	2701
19	1215mm	9728	2851
20	1275mm	10240	3001

TIMELESS RADIATORS



OVERVIEW

The VICTORIAN 3 cast iron radiator will blend with either traditional or contemporary settings whilst providing outstanding heat outputs. This radiator is available in three heights 450mm, 650mm and 760mm.

All Beaumont cast iron radiators are carefully hand built to your own required BTUs and fully assembled ready for plumbing into your new or existing pipework.

The VICTORIAN 3 can be finished in a variety of colours – metallic, Farrow & Ball range, RAL colours or primed for onsite painting.

Because each radiator section is hand cast there may be a slight variation in the length of each radiator once built (end bush to end bush), please allow for this in your pipework fitting.

DEPTH OF SECTION FROM SKIRTING BOARD = 60MM

SECTION WIDTH = 62MM

WEIGHT = 3KG/4KG/5KG